



Article no 110953 **Glove disposable nitrile size S Prime Source LET powder free AQL 1.5 blue 200 pcs**

Material combination Nitrile rubber, powder free, chlorinated

Brand Prime Source

Product Specific Information:

Tariff number	4015190000	Thickness/weight	2,7 g +0,2 g
UNSPSC code	42132203	Measure	size S
Country of Origin	MALAYSIA	Color	Blue

Package Information:

Carton 10 pk x 200 pcs/crt Bar code 5710876312019

Sub Packaging 200 pcs/pk Bar code 5710876312002

Description:

Non-sterile disposable gloves in synthetic nitrile rubber. Available in sizes XS - XL

Field of application:

The food sector, the health sector and work in wet environments

Physical Properties:

AQL	AQL 1,5 Level 2		
Thickness wrist	≥0,04 mm	Breaking strength before aging (EN455-2)	≥6,0 N
Thickness Finger	≥0,05 mm	Breaking strength after aging (EN455-2)	≥6,0 N
Thickness Palm	≥0,05 mm	Elasticity before loading	500%
Thickness Cuff	≥0,08 mm	Elasticity after loading	400%
Length median	240 mm		
Shaft/Cuff	Rolled	Dispensed individually	<input checked="" type="checkbox"/>
Surface structure	Finger textured		

Chemical ingredients:

Chemical composition

Nitrile synthetical rubber (NBR), Zinc Diethyldithiocarbamate (ZDEC) (accelerator), Zinc 2-mercaptobenzothiazole (ZMBT), Zinc Oxid (activating agent), Sulphur (cross lining agent), Vultamol/Tamil NN9104 (dispersing agent), Titanium dioxid (pigment), potassium hydroxid (stabilizer), Wingstay L I Ionol LC (antioxidant), Wax-Vivashield 9376, Zinc Dibutyldithiocarbamate (ZDBC) (accelerator).

Information on ingredients

Accelerators	Yes
Plasticizers	No
Thiurams	No
Dithiocarbamates	ZDBC, ZDEC
Mercaptobenzothiazole and derivatives	ZMBT
Mercaptobenzimidazole	No
P-phenylenediamine derivatives	No
Latexprotein (ug/g)	Latex free
Chemicals from REACH	No

Compliance:

Legislation

The manufacturer is ISO9001, ISO14001 and OHSAS 18001 certified.

Migration test according to EN1186, EN13130 and CEN / TS 14234 in accordance with EU Regulation 1935/2001/EC, 10/2011/EC and BfR recommendation XXI.

In accordance with 2016/425/EC replaces 89/686/EC Cat. III EN420, 93/42/EC Cat. I. EN420, EN455, EN374-1,-2,-3, EN388, ASTM D6319, ASTM F1671.

Available in sizes XS, S, M, L, XL. Contains the following allergen: Zinc Diethyldithiocarbamate (ZDEC), Zinc Dibutyldithiocarbamate (ZDBC) and Zinc 2-mercapto benzothiazole (ZMBT).

Test information

Overall migrationtest	<input checked="" type="checkbox"/>
Specific migrationtest	<input checked="" type="checkbox"/>
Virus penetration test (ASTM_F_1671)	<input checked="" type="checkbox"/>
Other tests	<input checked="" type="checkbox"/> EN374-1,2,3

Standards

EN420	<input checked="" type="checkbox"/>		EN388	<input checked="" type="checkbox"/> Level 0000
EN374	<input checked="" type="checkbox"/>	K sodium hydroxide 40% Level6 AQL 1,5 Level 2	EN455	<input checked="" type="checkbox"/> AQL 1,5 Level 2

Symbols:



EN420



EN374-1



EN374-2



Storage and disposal:

Store in original packaging in a dry and dark place, protected from sunlight, at 10 to 30° C. Protect from ozone.

Disposal:

Product: Can be disposed of with household waste and/or by combustion in waste incineration. Gloves contamination with chemical substances must be disposed of in accordance with the regulations for the relevant chemicals.

Sub Packing (plastic or carton): Can be disposed of by waste incineration or recycle.

Transport Packaging (plastic or carton): Can be disposed of by waste incineration or recycle.

The pallet: EU pallets (wood) can be recycled, other pallets (wood or pla

Related article numbers:



41090



41091



108127
4x4x14,5 cm



110954
str M

Supplier

MultiLine A/S, Kirkebjergvej 17, 4180 Sorø

Manufacturer

Produced for Multiline A/S