

Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

KiiltoClean Oy - Kiilto Pro Kasperri - T7435,T7435.001,T7435.005,41105 T7435



SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier: KiiltoClean Oy - Kiilto Pro Kasperri - T7435,T7435.001,T7435.005,41105
T7435

Other means of identification:

UFI: DX67-SEUP-XP0M-3NQ6

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: Cleaner. For professional users/industrial user only.

Uses advised against (Professional users): not defined

1.3 Details of the supplier of the safety data sheet:

KiiltoClean Oy
Tengströminkatu 6
PL157, 20101 Turku - FINLAND
Phone: +358 (0) 207710400
asiakaspalvelu@kiilto.com
www.kiilto.fi

1.4 Emergency telephone number: 112

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Met. Corr. 1: Corrosive to metals, Category 1, H290

Skin Corr. 1B: Skin corrosion, Category 1B, H314

2.2 Label elements:

CLP Regulation (EC) No 1272/2008:

Danger



Hazard statements:

Met. Corr. 1: H290 - May be corrosive to metals.

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

Precautionary statements:

P280: Wear protective gloves/protective clothing/eye protection.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P313: Get medical advice/attention.

Substances that contribute to the classification

Methanesulphonic acid (CAS: 75-75-2)

2.3 Other hazards:

Product does not meet PBT/vPvB criteria

Endocrine-disrupting properties: The product does not meet the criteria.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Aqueous mixture composed of acids and tensoactives

Components:

- CONTINUED ON NEXT PAGE -

Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation



**KiiltoClean Oy - Kiilto Pro Kasperri - T7435,T7435.001,T7435.005,41105
T7435**

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

Identification	Chemical name/Classification	Concentration
CAS: 75-75-2 EC: 200-898-6 Index: Non-applicable REACH: 01-2119491166-34-XXXX	Methanesulphonic acid⁽¹⁾ Self-classified	5 - <10 %
	Regulation 1272/2008 Acute Tox. 4: H302+H312; Met. Corr. 1: H290; Skin Corr. 1B: H314; STOT SE 3: H335 - Danger	
CAS: 147170-44-3 EC: 931-333-8 Index: Non-applicable REACH: 01-2119489410-39-XXXX	Alkyl amido propyl betaine⁽¹⁾ Self-classified	<5 %
	Regulation 1272/2008 Aquatic Chronic 3: H412; Eye Dam. 1: H318 - Danger	
CAS: 69011-36-5 EC: 500-241-6 Index: Non-applicable REACH: 02-2119552461-55-xxxx	Isotridecanol, ethoxylated⁽¹⁾ Self-classified	<5 %
	Regulation 1272/2008 Acute Tox. 4: H302; Eye Dam. 1: H318 - Danger	
CAS: 110615-47-9 EC: 600-975-8 Index: Non-applicable REACH: 01-2119489418-23-XXXX	Alkylpolyglucoside⁽¹⁾ Self-classified	<5 %
	Regulation 1272/2008 Eye Dam. 1: H318; Skin Irrit. 2: H315 - Danger	
CAS: 15763-76-5 EC: 239-854-6 Index: Non-applicable REACH: 01-2119489411-37-XXXX	Sodium cumene sulphonate⁽¹⁾ Self-classified	1 - <5 %
	Regulation 1272/2008 Eye Irrit. 2: H319 - Warning	
CAS: 164524-02-1 EC: 629-764-9 Index: Non-applicable REACH: 01-2119489427-24-XXXX	Potassium cumene sulphonate⁽¹⁾ Self-classified	1 - <5 %
	Regulation 1272/2008 Eye Irrit. 2: H319 - Warning	
CAS: 68515-73-1 EC: 500-220-1 Index: Non-applicable REACH: 01-2119488530-36-XXXX	D-Glucopyranose, oligomers, decyl octyl glycosides⁽¹⁾ Self-classified	1 - <5 %
	Regulation 1272/2008 Eye Dam. 1: H318 - Danger	

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Other information:

Identification	Specific concentration limit
Alkyl amido propyl betaine CAS: 147170-44-3 EC: 931-333-8	% (w/w) >=10: Eye Dam. 1 - H318 4<= % (w/w) <10: Eye Irrit. 2 - H319
D-Glucopyranose, oligomers, decyl octyl glycosides CAS: 68515-73-1 EC: 500-220-1	% (w/w) >=10: Eye Dam. 1 - H318 1<= % (w/w) <10: Eye Irrit. 2 - H319

Acute toxicity estimate for the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or as determined in accordance with Annex I to that Regulation:

Identification	Acute toxicity		Genus
	LD50 oral	LD50 dermal	
Methanesulphonic acid CAS: 75-75-2 EC: 200-898-6	500 mg/kg (ATEi)	1100 mg/kg (ATEi)	
	Not relevant	Not relevant	
	Not relevant	Not relevant	
Isotridecanol, ethoxylated CAS: 69011-36-5 EC: 500-241-6	500 mg/kg (ATEi)	Not relevant	
	Not relevant	Not relevant	
	Not relevant	Not relevant	

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

Request medical assistance immediately, showing the SDS of this product.

By inhalation:

- CONTINUED ON NEXT PAGE -



**KiiltoClean Oy - Kiilto Pro Kasperri - T7435,T7435.001,T7435.005,41105
T7435**

SECTION 4: FIRST AID MEASURES (continued)

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Request immediate medical assistance, showing the SDS of this product. Do not induce vomiting, because its expulsion from the stomach can be hazardous to the mucus of the main digestive tract, and also risk damage to the respiratory system through inhalation. Rinse out the mouth and throat, as they may have been affected during ingestion. In the case of loss of consciousness do not administer anything orally unless supervised by a doctor. Keep the person affected at rest.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Not relevant

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

Non-applicable

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spill product (See section 8). Evacuate the area and keep out those who do not have protection.

For emergency responders:

- CONTINUED ON NEXT PAGE -



**KiiltoClean Oy - Kiilto Pro Kasperri - T7435,T7435.001,T7435.005,41105
T7435**

SECTION 6: ACCIDENTAL RELEASE MEASURES (continued)

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

It is recommended to avoid environmental spillage of both the product and its container.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used. KEEP ONLY IN ORIGINAL PACKAGING.

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

A.- Specific storage requirements

Minimum Temp.: 5 °C

Maximum Temp.: 35 °C

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

There are no applicable occupational exposure limits for the substances contained in the product

DNEL (Workers):

Identification		Short exposure		Long exposure	
		Systemic	Local	Systemic	Local
Methanesulphonic acid CAS: 75-75-2 EC: 200-898-6	Oral	Not relevant	Not relevant	Not relevant	Not relevant
	Dermal	Not relevant	Not relevant	19,44 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	6,76 mg/m ³	0,7 mg/m ³

- CONTINUED ON NEXT PAGE -

Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

**KiiltoClean Oy - Kiilto Pro Kasperri - T7435,T7435.001,T7435.005,41105
T7435**



SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Identification		Short exposure		Long exposure	
		Systemic	Local	Systemic	Local
Alkyl amido propyl betaine CAS: 147170-44-3 EC: 931-333-8	Oral	Not relevant	Not relevant	Not relevant	Not relevant
	Dermal	Not relevant	Not relevant	12,5 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	44 mg/m ³	Not relevant
Isotridecanol, ethoxylated CAS: 69011-36-5 EC: 500-241-6	Oral	Not relevant	Not relevant	Not relevant	Not relevant
	Dermal	Not relevant	Not relevant	2080 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	294 mg/m ³	Not relevant
Alkylpolyglucoside CAS: 110615-47-9 EC: 600-975-8	Oral	Not relevant	Not relevant	Not relevant	Not relevant
	Dermal	Not relevant	Not relevant	595000 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	420 mg/m ³	Not relevant
Sodium cumene sulphonate CAS: 15763-76-5 EC: 239-854-6	Oral	Not relevant	Not relevant	Not relevant	Not relevant
	Dermal	Not relevant	Not relevant	136,25 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	26,9 mg/m ³	Not relevant
Potassium cumene sulphonate CAS: 164524-02-1 EC: 629-764-9	Oral	Not relevant	Not relevant	Not relevant	Not relevant
	Dermal	Not relevant	Not relevant	136,25 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	26,9 mg/m ³	Not relevant
D-Glucopyranose, oligomers, decyl octyl glycosides CAS: 68515-73-1 EC: 500-220-1	Oral	Not relevant	Not relevant	Not relevant	Not relevant
	Dermal	Not relevant	Not relevant	595000 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	420 mg/m ³	Not relevant

DNEL (General population):

Identification		Short exposure		Long exposure	
		Systemic	Local	Systemic	Local
Methanesulphonic acid CAS: 75-75-2 EC: 200-898-6	Oral	Not relevant	Not relevant	8,33 mg/kg	Not relevant
	Dermal	Not relevant	Not relevant	8,33 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	1,44 mg/m ³	0,42 mg/m ³
Alkyl amido propyl betaine CAS: 147170-44-3 EC: 931-333-8	Oral	Not relevant	Not relevant	7,5 mg/kg	Not relevant
	Dermal	Not relevant	Not relevant	7,5 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	13,04 mg/m ³	Not relevant
Isotridecanol, ethoxylated CAS: 69011-36-5 EC: 500-241-6	Oral	Not relevant	Not relevant	25 mg/kg	Not relevant
	Dermal	Not relevant	Not relevant	1250 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	87 mg/m ³	Not relevant
Alkylpolyglucoside CAS: 110615-47-9 EC: 600-975-8	Oral	Not relevant	Not relevant	35,7 mg/kg	Not relevant
	Dermal	Not relevant	Not relevant	357000 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	124 mg/m ³	Not relevant
Sodium cumene sulphonate CAS: 15763-76-5 EC: 239-854-6	Oral	Not relevant	Not relevant	3,8 mg/kg	Not relevant
	Dermal	Not relevant	Not relevant	68,1 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	6,6 mg/m ³	Not relevant
Potassium cumene sulphonate CAS: 164524-02-1 EC: 629-764-9	Oral	Not relevant	Not relevant	3,8 mg/kg	Not relevant
	Dermal	Not relevant	Not relevant	68,1 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	6,6 mg/m ³	Not relevant
D-Glucopyranose, oligomers, decyl octyl glycosides CAS: 68515-73-1 EC: 500-220-1	Oral	Not relevant	Not relevant	35,7 mg/kg	Not relevant
	Dermal	Not relevant	Not relevant	357000 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	124 mg/m ³	Not relevant

PNEC:

Identification				
Methanesulphonic acid CAS: 75-75-2 EC: 200-898-6	STP	100 mg/L	Fresh water	0,012 mg/L
	Soil	0,002 mg/kg	Marine water	0,001 mg/L
	Intermittent	0,12 mg/L	Sediment (Fresh water)	0,044 mg/kg
	Oral	Not relevant	Sediment (Marine water)	0,004 mg/kg

- CONTINUED ON NEXT PAGE -

Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

**KiiltoClean Oy - Kiilto Pro Kasperri - T7435,T7435.001,T7435.005,41105
T7435**



SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Identification				
Alkyl amido propyl betaine CAS: 147170-44-3 EC: 931-333-8	STP	3000 mg/L	Fresh water	0,013 mg/L
	Soil	0,8 mg/kg	Marine water	0,001 mg/L
	Intermittent	Not relevant	Sediment (Fresh water)	14,8 mg/kg
	Oral	Not relevant	Sediment (Marine water)	1,48 mg/kg
Isotridecanol, ethoxylated CAS: 69011-36-5 EC: 500-241-6	STP	1,4 mg/L	Fresh water	0,074 mg/L
	Soil	0,1 mg/kg	Marine water	0,007 mg/L
	Intermittent	0,015 mg/L	Sediment (Fresh water)	0,604 mg/kg
	Oral	Not relevant	Sediment (Marine water)	0,06 mg/kg
Alkylpolyglucoside CAS: 110615-47-9 EC: 600-975-8	STP	5000 mg/L	Fresh water	0,176 mg/L
	Soil	0,654 mg/kg	Marine water	0,018 mg/L
	Intermittent	0,029 mg/L	Sediment (Fresh water)	1,516 mg/kg
	Oral	0,11111 g/kg	Sediment (Marine water)	0,065 mg/kg
Sodium cumene sulphonate CAS: 15763-76-5 EC: 239-854-6	STP	100 mg/L	Fresh water	0,23 mg/L
	Soil	0,037 mg/kg	Marine water	0,023 mg/L
	Intermittent	2,3 mg/L	Sediment (Fresh water)	0,862 mg/kg
	Oral	Not relevant	Sediment (Marine water)	0,086 mg/kg
Potassium cumene sulphonate CAS: 164524-02-1 EC: 629-764-9	STP	100 mg/L	Fresh water	0,23 mg/L
	Soil	0,037 mg/kg	Marine water	0,023 mg/L
	Intermittent	2,3 mg/L	Sediment (Fresh water)	0,862 mg/kg
	Oral	Not relevant	Sediment (Marine water)	0,086 mg/kg
D-Glucopyranose, oligomers, decyl octyl glycosides CAS: 68515-73-1 EC: 500-220-1	STP	560 mg/L	Fresh water	0,176 mg/L
	Soil	0,654 mg/kg	Marine water	0,018 mg/L
	Intermittent	0,27 mg/L	Sediment (Fresh water)	1,516 mg/kg
	Oral	0,11111 g/kg	Sediment (Marine water)	0,152 mg/kg

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
 Mandatory hand protection	NON-disposable chemical protective gloves (Material: Nitrile, Breakthrough time: > 480 min, Thickness: 0.38 mm)	 CAT III	EN ISO 374-1:2016+A1:2018 EN 16523-1:2015+A1:2018 EN ISO 21420:2020	The Breakthrough Time indicated by the manufacturer must exceed the period during which the product is being used. Do not use protective creams after the product has come into contact with skin.

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
 Mandatory face protection	Panoramic glasses against splash/projections.	 CAT II	EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

E.- Body protection

- CONTINUED ON NEXT PAGE -

Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation



**KiiltoClean Oy - Kiilto Pro Kasperri - T7435,T7435.001,T7435.005,41105
T7435**

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing			Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.

F.- Additional emergency measures

Emergency measure	Standards	Emergency measure	Standards
Emergency shower	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	Eyewash stations	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011

Protective gloves complying with EN374:butylrubber,nitrile rubber

Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

Appearance:

Physical state at 20 °C: Liquid
 Appearance: Fluid
 Colour: Yellowish
 Odour: Odourless
 Odour threshold: Not relevant *

Volatility:

Boiling point at atmospheric pressure: Not relevant *
 Vapour pressure at 20 °C: Not relevant *
 Vapour pressure at 50 °C: 12360,41 Pa (12,36 kPa)
 Evaporation rate at 20 °C: Not relevant *

Product description:

Density at 20 °C: 1040 kg/m³
 Relative density at 20 °C: Not relevant *
 Dynamic viscosity at 20 °C: Not relevant *
 Kinematic viscosity at 20 °C: Not relevant *
 Kinematic viscosity at 40 °C: Not relevant *
 Concentration: Not relevant *
 pH: 1
 Vapour density at 20 °C: Not relevant *
 Partition coefficient n-octanol/water 20 °C: Not relevant *
 Solubility in water at 20 °C: Not relevant *
 Solubility properties: Water-soluble
 Decomposition temperature: Not relevant *
 Melting point/freezing point: Not relevant *

Flammability:

Flash Point: Non Flammable (>60 °C)

*Not relevant due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE -

Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

KiiltoClean Oy - Kiilto Pro Kasperri - T7435,T7435.001,T7435.005,41105 T7435



SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

Flammability (solid, gas): Not relevant *

Autoignition temperature: Not relevant *

Lower flammability limit: Not relevant *

Upper flammability limit: Not relevant *

Particle characteristics:

Median equivalent diameter: Non-applicable

9.2 Other information:

Information with regard to physical hazard classes:

Explosive properties: Not relevant *

Oxidising properties: Not relevant *

Corrosive to metals: H290 May be corrosive to metals.

Heat of combustion: Not relevant *

Aerosols-total percentage (by mass) of flammable components: Not relevant *

Other safety characteristics:

Surface tension at 20 °C: Not relevant *

Refraction index: Not relevant *

*Not relevant due to the nature of the product, not providing information property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Not applicable	Not applicable	Precaution	Not applicable	Avoid alkalis or strong bases

Other information:

To be avoided: zinc, aluminium, brass and copper.

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO₂), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

- CONTINUED ON NEXT PAGE -

Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation



**KiiltoClean Oy - Kiilto Pro Kasperri - T7435,T7435.001,T7435.005,41105
T7435**

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
- Corrosivity/Irritability: Corrosive product, if it is swallowed causes burns destroying the tissues. For more information about secondary effects from skin contact see section 2.

B- Inhalation (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
- Corrosivity/Irritability: Prolonged inhalation of the product is corrosive to mucous membranes and the upper respiratory tract

C- Contact with the skin and the eyes (acute effect):

- Contact with the skin: Above all, skin contact may occur as fabrics of all thicknesses can be destroyed, resulting in burns. For more information on the secondary effects see section 2.
- Contact with the eyes: Produces serious eye damage after contact.

D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

F- Specific target organ toxicity (STOT) - single exposure:

Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.

G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Not relevant

Specific toxicology information on the substances:

Identification	Acute toxicity		Genus
	LD50 oral	LD50 dermal	
Methanesulphonic acid CAS: 75-75-2 EC: 200-898-6	500 mg/kg (ATEi)	1100 mg/kg (ATEi)	
Alkylpolyglucoside CAS: 110615-47-9 EC: 600-975-8	>5000 mg/kg		Rat
Isotridecanol, ethoxylated CAS: 69011-36-5 EC: 500-241-6	500 mg/kg (ATEi)		

- CONTINUED ON NEXT PAGE -

Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation



**KiiltoClean Oy - Kiilto Pro Kasperri - T7435,T7435.001,T7435.005,41105
T7435**

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Identification	Acute toxicity		Genus
	LD50 oral	LD50 dermal	
Alkyl amido propyl betaine CAS: 147170-44-3 EC: 931-333-8	2430 mg/kg		Rat
Sodium cumene sulphonate CAS: 15763-76-5 EC: 239-854-6	7000 mg/kg		Rat

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product does not meet the criteria.

Other information

Not relevant

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

12.1 Toxicity:

Acute toxicity:

Identification	Concentration		Species	Genus
	LC50	EC50		
Alkyl amido propyl betaine CAS: 147170-44-3 EC: 931-333-8	LC50	Not relevant		
	EC50	20 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	Not relevant		
Alkylpolyglucoside CAS: 110615-47-9 EC: 600-975-8	LC50	2,95 mg/L (96 h)	Brachydanio rerio	Fish
	EC50	14 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	12 mg/L (72 h)	Scenedesmus subspicatus	Algae
Sodium cumene sulphonate CAS: 15763-76-5 EC: 239-854-6	LC50	1580 mg/L (96 h)	Oncorhynchus mykiss	Fish
	EC50	1020 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	230 mg/L (96 h)	Selenastrum capricornutum	Algae
D-Glucopyranose, oligomers, decyl octyl glycosides CAS: 68515-73-1 EC: 500-220-1	LC50	126 mg/L (96 h)	Brachydanio rerio	Fish
	EC50	151 mg/L (48 h)	Acartia tonsa	Crustacean
	EC50	27 mg/L (72 h)	Scenedesmus subspicatus	Algae

Chronic toxicity:

Identification	Concentration		Species	Genus
	NOEC	Concentration		
Alkyl amido propyl betaine CAS: 147170-44-3 EC: 931-333-8	NOEC	0,135 mg/L	Oncorhynchus mykiss	Fish
	NOEC	0,32 mg/L	Daphnia magna	Crustacean
Alkylpolyglucoside CAS: 110615-47-9 EC: 600-975-8	NOEC	1,8 mg/L	Danio rerio	Fish
	NOEC	2 mg/L	Daphnia magna	Crustacean
Sodium cumene sulphonate CAS: 15763-76-5 EC: 239-854-6	NOEC	Not relevant		
	NOEC	30 mg/L	Daphnia magna	Crustacean
D-Glucopyranose, oligomers, decyl octyl glycosides CAS: 68515-73-1 EC: 500-220-1	NOEC	1,8 mg/L	Danio rerio	Fish
	NOEC	2 mg/L	Daphnia magna	Crustacean

12.2 Persistence and degradability:

Substance-specific information:

Identification	Degradability		Biodegradability	
	BOD5	Not relevant	Concentration	161 mg/L
Methanesulphonic acid CAS: 75-75-2 EC: 200-898-6	COD	Not relevant	Period	28 days
	BOD5/COD	Not relevant	% Biodegradable	100 %

- CONTINUED ON NEXT PAGE -

Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation



**KiiltoClean Oy - Kiilto Pro Kasperri - T7435,T7435.001,T7435.005,41105
T7435**

SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification	Degradability		Biodegradability	
	Parameter	Value	Parameter	Value
Alkyl amido propyl betaine CAS: 147170-44-3 EC: 931-333-8	BOD5	Not relevant	Concentration	10 mg/L
	COD	Not relevant	Period	28 days
	BOD5/COD	Not relevant	% Biodegradable	82 %
Alkylpolyglucoside CAS: 110615-47-9 EC: 600-975-8	BOD5	Not relevant	Concentration	2 mg/L
	COD	Not relevant	Period	28 days
	BOD5/COD	Not relevant	% Biodegradable	88 %
Sodium cumene sulphonate CAS: 15763-76-5 EC: 239-854-6	BOD5	Not relevant	Concentration	20 mg/L
	COD	Not relevant	Period	28 days
	BOD5/COD	Not relevant	% Biodegradable	100 %
D-Glucopyranose, oligomers, decyl octyl glycosides CAS: 68515-73-1 EC: 500-220-1	BOD5	Not relevant	Concentration	Not relevant
	COD	Not relevant	Period	28 days
	BOD5/COD	Not relevant	% Biodegradable	100 %

12.3 Bioaccumulative potential:

Substance-specific information:

Identification	Bioaccumulation potential	
	Parameter	Value
Alkyl amido propyl betaine CAS: 147170-44-3 EC: 931-333-8	BCF	71
	Pow Log	
	Potential	Moderate

12.4 Mobility in soil:

Identification	Absorption/desorption		Volatility	
	Parameter	Value	Parameter	Value
Methanesulphonic acid CAS: 75-75-2 EC: 200-898-6	Koc	1	Henry	1,28E-3 Pa·m ³ /mol
	Conclusion	Very High	Dry soil	No
	Surface tension	0E+0 N/m (-273,15 °C)	Moist soil	No
Alkylpolyglucoside CAS: 110615-47-9 EC: 600-975-8	Koc	50	Henry	2E-8 Pa·m ³ /mol
	Conclusion	Very High	Dry soil	No
	Surface tension	Not relevant	Moist soil	No
D-Glucopyranose, oligomers, decyl octyl glycosides CAS: 68515-73-1 EC: 500-220-1	Koc	50	Henry	1,2E-8 Pa·m ³ /mol
	Conclusion	Very High	Dry soil	No
	Surface tension	Not relevant	Moist soil	No

Water-soluble

12.5 Results of PBT and vPvB assessment:

Product does not meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product does not meet the criteria.

12.7 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
20 01 29*	detergents containing hazardous substances	Hazardous

Type of waste (Regulation (EU) No 1357/2014):

HP8 Corrosive

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See paragraph 6.2.

- CONTINUED ON NEXT PAGE -



**KiiltoClean Oy - Kiilto Pro Kasperri - T7435,T7435.001,T7435.005,41105
T7435**

SECTION 13: DISPOSAL CONSIDERATIONS (continued)

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to ADR 2023 and RID 2023:



- | | |
|--|---|
| 14.1 UN number or ID number: | UN3265 |
| 14.2 UN proper shipping name: | CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Methanesulphonic acid) |
| 14.3 Transport hazard class(es): | 8 |
| Labels: | 8 |
| 14.4 Packing group: | II |
| 14.5 Environmental hazards: | No |
| 14.6 Special precautions for user | |
| Special regulations: | 274 |
| Tunnel restriction code: | E |
| Physico-Chemical properties: | see section 9 |
| Limited quantities: | 1 L |
| 14.7 Maritime transport in bulk according to IMO instruments: | Not relevant |

Transport of dangerous goods by sea:

With regard to IMDG 41-22:



- | | |
|--|---|
| 14.1 UN number or ID number: | UN3265 |
| 14.2 UN proper shipping name: | CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Methanesulphonic acid) |
| 14.3 Transport hazard class(es): | 8 |
| Labels: | 8 |
| 14.4 Packing group: | II |
| 14.5 Marine pollutant: | No |
| 14.6 Special precautions for user | |
| Special regulations: | 274 |
| EmS Codes: | F-A, S-B |
| Physico-Chemical properties: | see section 9 |
| Limited quantities: | 1 L |
| Segregation group: | SGG1 |
| 14.7 Maritime transport in bulk according to IMO instruments: | Not relevant |

Transport of dangerous goods by air:

With regard to IATA/ICAO 2024:

- CONTINUED ON NEXT PAGE -

Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation



KiiltoClean Oy - Kiilto Pro Kasperri - T7435,T7435.001,T7435.005,41105 T7435

SECTION 14: TRANSPORT INFORMATION (continued)



14.1 UN number or ID number:	UN3265
14.2 UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Methanesulphonic acid)
14.3 Transport hazard class(es):	8
Labels:	8
14.4 Packing group:	II
14.5 Environmental hazards:	No
14.6 Special precautions for user	
Physico-Chemical properties:	see section 9
14.7 Maritime transport in bulk according to IMO instruments:	Not relevant

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

- Article 95, REGULATION (EU) No 528/2012: Not relevant
- Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Not relevant
- Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Not relevant
- REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Not relevant
- Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Not relevant

Regulation (EC) No 648/2004 on detergents:

In accordance with this regulation the product complies with the following:

The tensoactives contained in this mixture comply with the biodegradability criteria stipulated in Regulation (EC) n°648/2004 on detergents. The information to prove this is available to the relevant authorities of the Member States and will be shown to them by direct request or the request of a detergent manufacturer.

Seveso III:

Not relevant

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
- tricks and jokes,
- games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

- Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products
- Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents
- Commission Regulation (EC) No 907/2006 of 20 June 2006 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes III and VII
- Commission Regulation (EC) No 551/2009 of 25 June 2009 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes V and VI thereto (surfactant derogation)

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

- CONTINUED ON NEXT PAGE -

Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

KiiltoClean Oy - Kiilto Pro Kasperri - T7435,T7435.001,T7435.005,41105 T7435



SECTION 16: OTHER INFORMATION (continued)

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

Not relevant

Texts of the legislative phrases mentioned in section 2:

H290: May be corrosive to metals.

H314: Causes severe skin burns and eye damage.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Acute Tox. 4: H302 - Harmful if swallowed.

Acute Tox. 4: H302+H312 - Harmful if swallowed or in contact with skin.

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Eye Dam. 1: H318 - Causes serious eye damage.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Met. Corr. 1: H290 - May be corrosive to metals.

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

Skin Irrit. 2: H315 - Causes skin irritation.

STOT SE 3: H335 - May cause respiratory irritation.

Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

<http://echa.europa.eu>

<http://eur-lex.europa.eu>

Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code

IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5day biochemical oxygen demand

BCF: Bioconcentration factor

LD50: Lethal Dose 50

LC50: Lethal Concentration 50

EC50: Effective concentration 50

LogPOW: Octanolwater partition coefficient

Koc: Partition coefficient of organic carbon

UFI: unique formula identifier

IARC: International Agency for Research on Cancer

Other information:

Classification procedure: Calculation method

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET -